# Technical mouldings

**EXTERIOR ARCHITECTURAL PROFILES** 

Gone are the days of heavy concrete mouldings that crack and require drilling and the use of screws and plugs.

Using the latest technology, we are able to give you any shape, size and design you require, these are easily glued on.

Our unique coating process and products are of the highest standard; and above all we aim for on time delivery, giving you the peace of mind that your project will be on schedule.

Here are some of the reasons why Technical Mouldings are in a class of their own.

#### Advantages

- \* Competitively priced
- \* Light weight
- \* No mechanical fixing
- \* Straight lines
- \* Will not crack
- \* Uniform sand finish
- \* Will not delaminate
- \* No etch primer required
- \* Sharper design

#### Benefits to you

- \* Pay less to get more
- \* One man operation
- \* Labour Cost Down
- \* No more bowing
- \* No return visits
- \* Matches render
- \* Confidence in your work
- \* Excellent surface for paint
- \* No extra cost



For a free quote or if you just require advice on moulding designs, please call Terry

### Technical mouldings

31 Brock Street Thomastown Victoria 3074 e: sales@technicalmouldings.com.au

p: 03 9464 2544 f: 03 9464 2522 www.technicalmouldings.com.au



# **Corbel Catalogue: 2010**

31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9

**P:** 03 9464 2544

**F:** 03 9464 2522 E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

HC-15 Profiled Corbel 220 mm high 220 mm wide	
PC-2 Profiled Corbel 250 mm high 250 mm wide	
PC-8 Profiled Corbel 300 mm high 120 mm wide	
PC-16 Profiled Corbel 300 mm high 120 mm wide	
PC-20 Profiled Corbel 315 mm high 200 mm wide	
PC-28 Profiled Corbel 260 mm high 200 mm wide	

Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt. Please note:

Full on site custom design service & sample matching available with our versatile CNC equipment. Call in to see our full range of products or to discuss your next project and how we can help you.



### Flatband Catalogue: 2010

31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9

**F**: 03 9464 2522 **P**: 03 9464 2544

*E:* sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>FF - 70</b> Flatband coated on 3 sides 20 mm Wide 80 mm High	
<b>FF - 195</b> Flatband coated on 3 sides 30 mm Wide 100 mm High	
<b>F - 64</b> Flatband coated on 3 sides 70 mm Wide 125 mm High	
HW – 4027 & W - 27 Flatband with adjustable width reveal moulding 110 mm Wide 100 mm High	
Bevelled or Scalloped Edge Flatband coated on 3 sides Available with any flatband size. Bevel or scallop can be made to your design	

Flatbands are available in almost any size to suit your needs. Shown above are examples of just a few and 2 types of edge variation available. Some of our most common sizes are:  $80 \times 30 - 90 \times 30 - 100 \times 30$ 110 x 20 - 125 x 50 - 250 x 30

Standard lengths for all our mouldings are 2.4mt - 2.7mt - 3.0mt. Please note:



**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**F:** 03 9464 2522

W: www.technicalmouldings.com.au

E: sales@technicalmouldings.com.au

**P**: 03 9464 2544

P-2 **Parapet Profile** 60 mm high 60 mm wide **P-4 Parapet Profile** 100 mm high 80 mm wide **P-5** Parapet Profile 110 mm high 70 mm wide P-16 Parapet Profile 130 mm high 100 mm wide P-18 Parapet Profile 120 mm high 85 mm wide P-20 Parapet Profile 100 mm high 100 mm wide

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt. **All parapet moulds can be used as eave moulds** 



**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P**: 03 9464 2544 **F**: 03 9464 2522

<b>P-23</b> Parapet Profile 120 mm high 72 mm wide	
<b>P-26</b> Parapet Profile 140 mm high 118 mm wide	
<b>P-27</b> Stepped Parapet Flat Band 145 mm high 60 mm wide	
<b>P-28</b> Parapet Profile 140 mm high 120 mm wide	
<b>P-30</b> Parapet Profile 150 mm high 90 mm wide	
<b>P-32</b> Parapet Profile 150 mm high 100 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt. **All parapet moulds can be used as eave moulds** 



**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P**: 03 9464 2544 **F**: 03 9464 2522

<b>P-33</b> Parapet Profile 150 mm high 120 mm wide	
<b>P-45</b> Parapet Profile 170 mm high 90 mm wide	
<b>P-47</b> Stepped Parapet Flat Band 170 mm high 100 mm wide	
<b>P-55</b> Parapet Profile 150 mm high 150 mm wide	
P-62/67 Combined Parapet Profile 333 mm high 290 mm wide	
P-76 Parapet Profile 200 mm high 120 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt. **All parapet moulds can be used as eave moulds** 



31 Brock Street Thomastown VIC 3074

**F:** 03 9464 2522

**Melways:** 9 B-9

E: sales@technicalmouldings.com.au

**P**: 03 9464 2544

W: www.technicalmouldings.com.au

P-78 Parapet Profile 200 mm high 150 mm wide	
<b>P-90</b> Parapet Profile 225 mm high 130 mm wide	
<b>P-104</b> Parapet Profile With Dentil 265 mm high 205 mm wide	
<b>P-110</b> Parapet Profile 130 mm high 100 mm wide	
<b>P-246</b> Parapet Profile 260 mm high 150 mm wide	
P-381 Parapet Profile 200 mm high 150 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt. **All parapet moulds can be used as eave moulds** 



### Sill Catalogue: 2010

**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au W: www.t

W: www.technicalmouldings.com.au

<b>S-4</b> Flatband Tapered Window Sill 100 mm high 30 mm wide	
<b>S-56</b> Profiled Window Sill 100 mm high 70 mm wide	
<b>S-81</b> Flatband Tapered Window Sill 120 mm high 70 mm wide	
<b>S-91</b> Profiled Window Sill 120 mm high 90 mm wide	
<b>S-94</b> Profiled Window Sill 120 mm high 90 mm wide	
<b>S-95</b> Profiled Window Sill 120 mm high 90 mm wide	

Please note:

Sills are made to your custom sizes to suit your windows or in standard lengths Standard lengths for all our mouldings are 2.4mt - 2.7mt - 3.0mt.

Coated or returned ends and pre cut mitres available at additional cost.



### Sill Catalogue: 2010

**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>S-96</b> Profiled Window Sill	
120 mm high 90 mm wide	
<b>S-111</b> Profiled Window Sill 125 mm high 60 mm wide	
<b>S-185</b> Profiled Window Sill 185 mm high 100 mm wide	
S-225 Profiled Window Sill With Fixed Reveal 100 mm high 190 mm wide	
<b>S-261</b> Profiled Window Sill 135 mm high 245 mm wide	
SH-167 Flatband Tapered Window Sill With Fixed Reveal 175 mm high 140 mm wide	

Please note:

Sills are made to your custom sizes to suit your windows or in standard lengths Standard lengths for all our mouldings are 2.4mt - 2.7mt - 3.0mt.

Coated or returned ends and pre cut mitres available at additional cost.



# **Stringer Catalogue: 2010**

**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

<b>ST-2</b> Stringer Profile 80 mm high 35 mm wide	4
<b>ST-3</b> Stringer Profile 78 mm high 35 mm wide	
<b>ST-4</b> Stringer Profile 80 mm high 50 mm wide	
<b>ST-6</b> Stringer Profile 90 mm high 30 mm wide	
<b>ST-11</b> Stringer Profile 60 mm high 35 mm wide	
<b>ST-12</b> Stringer Profile 40 mm high 20 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt.



# **Stringer Catalogue: 2010**

**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

*E:* <u>sales@technicalmouldings.com.au</u> *W:* <u>www.technicalmouldings.com.au</u>

<b>ST-24</b> Stringer Profile 60 mm high 50 mm wide	
<b>ST-28</b> Stringer Profile 90 mm high 50 mm wide	
<b>ST-29</b> Stringer Profile 100 mm high 30 mm wide	
<b>ST-37</b> Stringer Profile 80 mm high 55 mm wide	
<b>ST-41</b> Stringer Profile 70 mm high 55 mm wide	
<b>ST-48</b> Stringer Profile 170 mm high 95 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt.



# **Stringer Catalogue: 2010**

31 Brock Street Thomastown VIC 3074

**F:** 03 9464 2522

**Melways:** 9 B-9

**P:** 03 9464 2544 E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>ST-49</b> Stringer Profile 160 mm high 65 mm wide	
<b>ST-52</b> Stringer Profile 85 mm high 40 mm wide	
<b>ST-80</b> Stringer Profile 185 mm high 35 mm wide	
<b>ST-89</b> Stringer Profile 180 mm high 30 mm wide	
<b>ST-90</b> Stringer Profile 200 mm high 50 mm wide	
<b>ST-93</b> Stringer Profile 200 mm high 60 mm wide	

Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt. Please note:



**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

<b>W-4</b> Profiled window 65 mm high 40 mm wide	
<b>W-7</b> Profiled Window 80 mm high 25 mm wide	
<b>W-8</b> Profiled Window 80 mm high 25 mm wide	
<b>W-9</b> Profiled Window 75 mm high 55 mm wide	
<b>W-10</b> Profiled Window 80 mm high 25 mm wide	
<b>W-11</b> Profiled Window 85 mm high 35 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt.



**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>W-12</b> Profiled Window 80 mm high 30 mm wide	
<b>W-18</b> Profiled window 90 mm high 35 mm wide	
<b>W-24</b> Profiled Window 90 mm high 60 mm wide	
<b>W-31</b> Profiled Window 90 mm high 30 mm wide	
<b>W-36</b> Profiled Window 90 mm high 35 mm wide	
<b>W-43</b> Profiled Window 110 mm high 30 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt.



**Melways:** 9 B-9

31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>W-49</b> Profiled Window 100 mm high 30 mm wide	
<b>W-50</b> Profiled Window 100 mm high 30 mm wide	
<b>W-55</b> Profiled Window 100 mm high 30 mm wide	
<b>W-56</b> Profiled Window 100 mm high 35 mm wide	
<b>W-57</b> Profiled Window 100 mm high 30 mm wide	
<b>W-58</b> Profiled Window 100 mm high 35 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt.



31 Brock Street Thomastown VIC 3074

**P:** 03 9464 2544 **F:** 03 9464 2522

**Melways:** 9 B-9

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>W-60</b> Profiled Window 100 mm high 35 mm wide	
<b>W-73</b> Profiled Window 100 mm high 40 mm wide	
<b>W-86</b> Profiled Window 110 mm high 40 mm wide	
<b>W-112</b> Profiled Window 120 mm high 35 mm wide	
<b>W-121</b> Profiled Window 120 mm high 38 mm wide	
<b>W-139</b> Profiled Window 155 mm high 40 mm wide	

**Please note:** Standard lengths for all our mouldings are 2.4mt – 2.7mt – 3.0mt.



### **Column Base Rings: 2010**

31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9

**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

<b>BR-1</b> Basic Base Ring Round 120 mm high 80 mm wide Total Width = Column + 170mm	
<b>BR-2</b> Profiled Ring Round Base 200 mm high 55 mm wide Total Width = Column + 120mm	
BR-3 Profiled Ring Square Base 200 mm high 75 mm wide Total Width = Column + 160mm	
<b>BR-4</b> Profiled Ring Round Base 200 mm high 75 mm wide Total Width = Column + 160mm	
<b>BR-5</b> Profiled Ring Square Base 200 mm high 75 mm wide	
Total Width = Column + 160mm	

Column bases are made with 10mm clearance more than column size.

They can be supplied in one piece or 2 halves to fit around existing columns.

Sizes can be altered to suit specific applications, this may incur a surcharge.

Remember our custom design service & sample matching available with our versatile CNC equipment.

Call in to see our full range of products or to discuss your next project and how we can help you.



### **Column Base Rings: 2010**

31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9

**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au

BR-7 Profiled Ring Square Base 170 mm high 80 mm wide Total Width = Column + 170mm	
<b>BR-8</b> Profiled Ring Round Base 140 mm high 100 mm wide Total Width = Column + 210mm	
<b>BR-9</b> Profiled Ring Square Base 140 mm high 100 mm wide Total Width = Column + 210mm	
<b>BR-10</b> Profiled Ring Round Base 140 mm high	
100 mm wide Total Width = Column + 210mm	
100 mm wide	4

Column bases are made with 10mm clearance more than column size.

They can be supplied in one piece or 2 halves to fit around existing columns.

Sizes can be altered to suit specific applications, this may incur a surcharge.

Remember our custom design service & sample matching available with our versatile CNC equipment.

Call in to see our full range of products or to discuss your next project and how we can help you.



#### **Column Capital Rings: 2010**


31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9

**P:** 03 9464 2544 **F:** 03 9464 2522

F: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



Capitals are made with 10mm clearance more than column size.

They can be supplied in one piece or 2 halves to fit around existing columns.

Sizes can be altered to suit specific applications, this may incur a surcharge.

Remember our custom design service & sample matching available with our versatile CNC equipment.

Call in to see our full range of products or to discuss your next project and how we can help you.




#### **Column Capital Rings: 2010**

31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9

**F:** 03 9464 2522 **P**: 03 9464 2544

**E:** sales@technicalmouldings.com.au W: www.technicalmouldings.com.au



Capitals are made with 10mm clearance more than column size. They can be supplied in one piece or 2 halves to fit around existing columns. Sizes can be altered to suit specific applications, this may incur a surcharge. Remember our custom design service & sample matching available with our versatile CNC equipment. Call in to see our full range of products or to discuss your next project and how we can help you.




**Fence Capping Catalogue: 2010** 

31 Brock Street Thomastown VIC 3074

stown VIC 3074 **Melways:** 9 B-9

**P:** 03 9464 2544 **F:** 03 9464 2522

*E:* <u>sales@technicalmouldings.com.au</u> *W:* <u>www.technicalmouldings.com.au</u>



All customer orders are made to suit your projects fence width, can be supplied in 2400mm, 2700mm or 3000mm lengths. Peak height can also be varied to suit your requirements and coated or returned ends are available where there is no pier end.

Full on site custom design service & sample matching available with our versatile CNC equipment. Call in to see our full range of products or to discuss your next project and how we can help you.




31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9


**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



PC – 001 Geometric Style Pier Cap



Pier caps are made to suit your project pier size and dimensions. They can be square or rectangular and peak height and pitch can be varied from 100mm to 200mm.

If you can't find what you like here try our onsite custom design service & sample matching available through our versatile CNC equipment.

We carry 365mm x 365mm x 110mm and 480mm x 480mm x 110mm as standard sizes in stock.




31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9


**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



PC - 002 Victorian Style Pier Cap



Pier caps are made to suit your project pier size and dimensions. They can be square or rectangular and peak height and pitch can be varied from 100mm to 200mm.

If you can't find what you like here try our onsite custom design service & sample matching available through our versatile CNC equipment.

We carry 365mm x 365mm x 110mm and 480mm x 480mm x 110mm as standard sizes in stock.




31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9


**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



PC - 003 FC3 Profile Style Pier Cap



Pier caps are made to suit your project pier size and dimensions. They can be square or rectangular and peak height and pitch can be varied from 100mm to 200mm.

If you can't find what you like here try our onsite custom design service & sample matching available through our versatile CNC equipment.

We carry 365mm x 365mm x 110mm and 480mm x 480mm x 110mm as standard sizes in stock.




31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9


**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



PC - 004 Profile Style Pier Cap



Pier caps are made to suit your project pier size and dimensions. They can be square or rectangular and peak height and pitch can be varied from 100mm to 200mm.

If you can't find what you like here try our onsite custom design service & sample matching available through our versatile CNC equipment.

We carry 365mm x 365mm x 110mm and 480mm x 480mm x 110mm as standard sizes in stock.




31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9


**P:** 03 9464 2544 **F:** 03 9464 2522

E: sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



PC – 005 High Profile Style Pier Cap



Pier caps are made to suit your project pier size and dimensions. They can be square or rectangular and peak height and pitch can be varied from 100mm to 200mm.

If you can't find what you like here try our onsite custom design service & sample matching available through our versatile CNC equipment.

We carry 365mm x 365mm x 110mm and 480mm x 480mm x 110mm as standard sizes in stock.




31 Brock Street Thomastown VIC 3074

**Melways:** 9 B-9


**P:** 03 9464 2544 **F:** 03 9464 2522

*E:* sales@technicalmouldings.com.au

W: www.technicalmouldings.com.au



PC - 006 Profile Style Pier Cap



Pier caps are made to suit your project pier size and dimensions. They can be square or rectangular and peak height and pitch can be varied from 100mm to 200mm.

If you can't find what you like here try our onsite custom design service & sample matching available through our versatile CNC equipment.

We carry 365mm x 365mm x 110mm and 480mm x 480mm x 110mm as standard sizes in stock.